SUGGESTED HEADINGS FOR PROPOSALS FROM PROPONENTS SEEKING TO LEASE LAND HELD IN TRUST UNDER THE LAND TRUST 1984

SUMMARY

The Water Corporation requires a lease for land on which a Saltwater Desalination Plant (SDP), seawater bores and a raw water main are to be constructed.

SITE AND LOCATION

WTP: 50mx50m, 2500m2.



Seawater Borefield (Option A on below plan): The plan shows 4 bores however there will be 5 at 50m spacing. Therefore with a 10m clearing either side of the centreline of the bores the land portion will need to be 220m x 20m, 4400m2. I believe there is a power corridor running adjacent to this requested borefield lease. The borefield lease could potentially commence on the eastern face of the power corridor.



LEASE TERM REQUESTED

The Corporation would require a 10 year lease with the option for an additional 10 years.

SITE PLANS

Site plans are shown above.

SDP: Site to be cleared, fenced and include numerous buildings and tanks associated with water treatment infrastructure.

Borefield: The borefield would be cleared of vegetation. Within the cleared lease 5 bores would be located with above ground bore headworks/pipework and switchboards.

WASTE MANAGEMENT

The SDP will include a desalination plant which will produce approximately 400kL/day of brine. This brine will be discharged out of the existing Wastewater Treatment Plant ocean outfall.

ECONOMIC AND SOCIAL OUTCOMES

Community outcomes – The lease requested will be for a Saltwater Desalination Plant and associated borefield. These assets will provide water to the West Island Water Supply Scheme.

OUTCOME BASED MILESTONES TO INCLUDE IN THE LEASE

Clearing of the borefield and drilling of the bores is proposed for late 2021 subject to funding. Works would be likely to start on the SDP project in July 2022.

MARKET VALUATION

Market rental has not been considered at this time, however, would become an Operational cost met by the Corporations service agreement with DITRDC.